



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/544,683	04/07/2000	Antonius Arnoldus Christiaan Jacobs	99471 US	1432

7590 07/01/2002
William M Blackstone
Patent Department
Intervet Inc
405 State Street
Millsboro, DE 19966

EXAMINER

PORTNER, VIRGINIA ALLEN

ART UNIT	PAPER NUMBER
----------	--------------

1645

DATE MAILED: 07/01/2002

13

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

09/554,683
SERIAL NUMBER

ATTORNEY DOCKET NO.

EXAMINER

PAPER NUMBER

13

DATE MAILED:

Below is a communication from the EXAMINER in charge of this application

COMMISSIONER OF PATENTS AND TRADEMARKS

ADVISORY ACTION

☒ THE PERIOD FOR RESPONSE:

- a) ☐ is extended to run _____ or continues to run 3 from the date of the final rejection
- b) ☐ expires three months from the date of the final rejection or as of the mailing date of this Advisory Action, whichever is later. In no event however, will the statutory period for the response expire later than six months from the date of the final rejection.

Any extension of time must be obtained by filing a petition under 37 CFR 1.136(a), the proposed response and the appropriate fee. The date on which the response, the petition, and the fee have been filed is the date of the response and also the date for the purposes of determining the period of extension and the corresponding amount of the fee. Any extension fee pursuant to 37 CFR 1.17 will be calculated from the date of the originally set shortened statutory period for response or as set forth in b) above.

☐ Appellant's Brief is due in accordance with 37 CFR 1.192(a).

☒ Applicant's response to the final rejection, filed 6/10/02 has been considered with the following effect, but it is not deemed to place the application in condition for allowance:

1. ☒ The proposed amendments to the claim and/or specification will not be entered and the final rejection stands because:

- a. ☒ There is no convincing showing under 37 CFR 1.116(b) why the proposed amendment is necessary and was not earlier presented.
- b. ☒ They raise new issues that would require further consideration and/or search. (See Note).
- c. ☐ They raise the issue of new matter. (See Note).
- d. ☒ They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal.
- e. ☒ They present additional claims without cancelling a corresponding number of finally rejected claims.

NOTE: new claims directed to methods not previously examined have been submitted. Claim 1, After Final, recites the combination of antigens on a Western blot & was previously in the alternative directed to only one antigen at a time

2. ☐ Newly proposed or amended claims _____ would be allowed if submitted in a separately filed amendment cancelling the non-allowable claims.
3. ☒ Upon the filing an appeal, the proposed amendment ☐ will be entered ☒ will not be entered and the status of the claims will be as follows:

Claims allowed: none

Claims objected to: none

Claims rejected: 1-3 + 9; claims 4-7, 10, 12-14 stand withdrawn from consideration

However;

☒ Applicant's response has overcome the following rejection(s): None; it was not entered

4. ☒ The affidavit, exhibit or request for reconsideration has been considered but does not overcome the rejection because arguments are directed to newly submitted claim limitations not entered.
5. ☐ The affidavit or exhibit will not be considered because applicant has not shown good and sufficient reasons why it was not earlier presented.

☐ The proposed drawing correction ☐ has ☐ has not been approved by the examiner.

☐ Other

LFS
LYNETTE R. F. SMITH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600

BEST AVAILABLE COPY